



Technical Data Sheet: CR91329

- **Product manual CR91329** is a urethane acrylate oligomer with good adhesion characteristics. It can be used in adhesive and nail polish industry.
- Product features Good adhesion

Good toughness

- Suggested Adhesive
- application Nail polish

Specifications	Functional basis (theoretical)	2
	Appearance(By vision)	Claer liquid
	Viscosity (CPS/25°C)	1000-10000
	Color (Gardner)	≤ 3
	Efficient content(%)	100

Packing Net weight 50KG plastic bucket and net weight 200KG iron drum.

- Storage conditions Store product indoors at temperatures greater than product's freezing point (or greater than 0C/32F if no freezing point available) and **below 38C/100F.** Avoid prolonged (longer than shelf-life) storage temperatures above 38C/100F. Store in tightly closed containers in a properly vented storage area away from: heat, sparks, open flame, strong oxidizers, radiation, and other initiators. Prevent contamination by foreign materials. Prevent moisture contact. Use only non-sparking tools and limit storage time. Unless specified elsewhere, **shelf-life is 6 months from receipt**.
- Use mattersAvoid touching the skin and clothing, wear protective gloves when handling;
Leak with a cloth when the leak, and wash with ethyl acetate;
for details, please refer to the Material Safety Instructions (MSDS);
Each batch of goods to be tested before they can be put into production.

E-MAIL: haohuihuagong@163.com