



Technical Data Sheet: CR91538

Product manual CR91538 is an aliphatic polyurethane diacrylate . It has the characteristics of low heat

release, fast curing speed, good yellowing resistance, good toughness and low odor; It is

mainly used in the field of UV Nail adhesive.

Product features Lower heat release

Good toughness

Low odor

Good yellowing resistance

Fast curing speed

Cost effective

Recommended use UV Nail Oil adhesive

Specifications Functionality (theoretical) 2

Appearance(By vision) Colorless to yellowish liquid

Viscosity (CPS/60°C) 14000−20000

Color(APHA) < 40

Efficient content(%) 100

Packing Net weight 50KG plastic bucket and net weight 200KG iron drum.

Storage conditions Please keep cool or dry place, and avoid sun and heat;

Storage temperature does not exceed 40 °C, storage conditions under normal conditions

for at least 6 months.

Use mattersAvoid touching the skin and clothing, wear protective gloves when handling;

Leak with a cloth when the leak, and wash with ethyl acetate;

for details, please refer to the Material Safety Instructions (MSDS);

Each batch of goods to be tested before they can be put into production.

P age 1/1

Company name: Guangdong Haohui New Material Co., Ltd

ADDRESS: 4th Floor, Building 2, ZhongDa 365, 9th Newcity Road, ,Songshan Lake Hightech district, Dongguan City, Guangdong, PRC.